Cumulative Index 1983 and 1984

Volumes 1 and 2

Note: The volume year is in *italic* type. Page numbers of symposium and article titles are in **boldface** type.

SYMPOSIA

1983

January	SEXUALLY TRANSMITTED DISEASES
April	BLISTERING DISEASES
July	ACNE
October	COLLAGEN VASCULAR DISEASES AND RELATED SUBJECTS

1984

January	SUPERFICIAL FUNGAL INFECTIONS
April	DERMATOLOGIC SURGERY
July	PSORIASIS
October	CONTACT DERMATITIS

Abrasive planning, high-speed *1984*: April, **285–291**
Abscess, pelvic, as complication of pelvic inflammatory disease, *1983*: Jan., 68–69
Acantholytic dermatosis, transient, *1983*: April, 313
Acne, *1984*: Oct., 653
  aggravating factors, external, *1983*: July, **365–370**
  antibiotics for, *1983*: July, **385–397**
  caused by drugs, *1983*: July, 421
  caused by topical steroids for psoriasis, *1984*: July, 403
  collagen injection for, *1984*: April, 336
  dermabrasion, *1983*: July, **405–413**
  hormonal therapy for, *1983*: July, **377–384**
  inflammatory, *1983*: July, **361–364**
  keratinization, abnormal follicular, *1983*: July, 348, **353–359**
  microflora, follicular *1983*: July, 345–351
  nodulocystic, retinoid therapy for, *1983*: July, **371–376**, 387
  pilosebaceous follicle, *1983*: July, **331–333**, 353–355
  Propionibacterium acnes, *1983*: July, 345–350, 361–362
  pustulogenic agents, *1983*: July, 366
  retinoid therapy for, *1983*: July, **371–376**, 387, 437
  scars, rehabilitation of, *1983*: July, **405–413**
  sebaceous lipids, *1983*: July, **340–343**
  sebum secretion, *1983*: July, **335–339**
  severity of, factors influencing, *1983*: July, 363
  symposium on, *1983*: July, **329–413**
  topical therapy for, *1983*: July, **399–403**
Acne cosmetica, *1983*: July, 365
Acne detergicans, *1983*: July, 366
Acne mechanica, *1983*: July, 368
Acne medicamentosa, *1983*: July, 369–370
Acne venenata, occupational, *1983*: July, 369
Acral lentigines melanoma, *1984*: April, 193
Acropustulosis, *1984*: July, 457–458
Acrylates, cross-sensitization in, *1984*: Oct., 542
Actinic keratosis, cryosurgery for, *1984*: April, 323
  fluorouracil for, *1984*: April, 245–247
Acute cutaneous lupus erythematosus, *1983*: Oct., 458
Acycloguanosine, for herpes simplex infection, *1983*: Jan., 91
Acyclovir, for herpes genitalis, *1983*: April, 298
  for herpes simplex infection, *1983*: Jan., 91
  for herpes zoster, *1983*: April, 290
  for varicella, *1983*: April, 285
Adenosine arabinoside, for herpes simplex infection, *1983*: April, 298
  for herpes zoster, *1983*: April, 290
  for varicella, *1983*: April, 285
Age, influence on psoriasis, *1984*: July, 363, 376
Aging, dermatologic aspects of, *1984*: Jan., **151–159**
  of skin, caused by PUVA for psoriasis, *1984*: July, 428
    collagen injection for, *1984*: April, 337
Alcohol, psoriasis and, *1984*: July, 379
Allergic contact dermatitis, caused by topical steroids for psoriasis, *1984*: July, 406
  cross-sensitization, *1984*: Oct., **539–543**
  experimental, *1984*: Oct., **533–538**
  in atopics, *1984*: Oct., 564
  to poison oak and ivy, feasibility of hyposensitization, *1984*: Oct., **613–617**
Allergic granulomatous angiitis, *1983*: Oct., 485
Allylamines, *1984*: Jan., 111
Alopecia, caused by drugs, *1983*: July, 421; Oct., 592
  punch hair transplantation for, *1984*: April, **303–317**
Alopecia reduction, *1984*: April, 315–316

Amebiasis, in homosexuals, *1983*: Jan., 125–126
Amelanotic malignant melanoma, *1984*: April, 206
Aminocyclitols, for nongonococcal urethritis, *1983*: Jan., 60–62
Amodiaquine, cutaneous complications of, *1983*: Oct., 598
Amoxicillin, for gonorrhea, *1983*: Jan., 49
for nongonococcal urethritis, *1983*: Jan., 60–62
Ampicillin, for gonorrhea, *1983*: Jan., 49
for shigellosis, *1983*: Jan., 125
Amphotericin B, for fungal infections in children, *1984*: Jan., 131–133
Amyloidosis, bullous, *1983*: April, 320
Anaphylactoid purpura, diagnosis of, *1983*: April, 161
Androgens, *1983*: July, 377
influence on rate of sebum secretion, *1983*: July, 339
Anesthesia, for biopsy, *1984*: April, 212
for cold steel surgery, *1984*: April, 342–344
for punch hair transplantation, *1984*: April, 308–309
for surgery of nail, *1984*: April, 272
Angiomas, cryosurgery for, *1984*: April, 322
Annular pustular psoriasis, *1984*: July, 463
Annular syphilis, *1983*: Jan., 14
Anorectal gonococcal infection, *1983*: Jan., 46
Anthralin, for psoriasis, *1984*: July, 389–393
of scalp, *1984*: July, 474
Antiandrogens, influence on rate of sebum secretion, *1983*: July, 339
Antibiotics, for acne, *1983*: July, **385–397**
topical, *1983*: July, 401
for staphylococcal scalded skin syndrome, *1983*: April, 239
Antifungal agents, topical, *1984*: Jan., **109–113**
Antihistamines, for herpes gestationis, *1983*: April, 198
Anti-inflammatory agents, for acne, *1983*: July, 394–396
Antimalarial drugs, cutaneous complications of, *1983*: Oct., 596–599
for dermatomyositis, *1983*: Oct., 469
psoriasis and, *1984*: July, 380
Antinuclear antibody subsets, *1983*: Oct., **517–524**
Aortitis, syphilitic, *1983*: Jan., 30–32
Aphthae, caused by Behçet's syndrome, *1983*: Oct., 607, 609
Aphthovirus, *1983*: April, 301
APPG, for gonorrhea, *1983*: Jan., 49
Aqueous crystalline penicillin G, for gonorrhea, *1983*: Jan., 49
Aqueous procaine penicillin G, for gonorrhea, *1983*: Jan., 49
Arteriosclerosis, relation to Raynaud's syndrome, *1983*: Oct., 499
Arthritis, acute, disseminated gonococcal infection and, *1983*: Jan., 45
psoriatic, *1984*: July, 375–376, **477–491**
retinoids for, *1984*: July, 447–448
rheumatoid, role of complement in, *1983*: Oct., 530
relation to pyoderma gangrenosum, *1983*: Oct., 619
Arthritis–dermatitis syndrome, of disseminated gonococcal infection, *1983*: Jan., 45; Oct., 611–612
Artichoke, as cause of contact dermatitis, *1984*: Oct., 572
Asparagus, as cause of contact dermatitis, *1984*: Oct., 572
Aspergillosis, cutaneous, caused by immunosuppressive drugs, *1983*: Oct., 600
Ataxia, caused by antibiotic therapy for acne, *1983*: July, 388
Athletes, dermatologic problems in, *1984*: Oct., 653–660
Athlete's foot. See *Tinea pedis*.
Atopy, contact dermatitis and, *1984*: Oct., **561–566**
Atrophy, caused by topical steroids for psoriasis, *1984*: July, 401
Autoeczematization, diagnosis of, *1983*: April, 161
Autoimmune progesterone dermatitis of pregnancy, *1983*: Oct., 566–568
Avulsion, of nail, *1984*: April, 275
Azathioprine, cutaneous complications of, *1983*: Oct., 594
for dermatomyositis, *1983*: Oct., 470
for scleroderma, *1983*: Oct., 509–512

Bacterial infections, role in erythema multiforme, *1983*: April, 223–224
Balanitis, candidal, *1984*: Jan., 21
Balloon cell nevus, relation to malignant melanoma, *1984*: April, 187
Banker type childhood dermatomyositis, *1984*: Oct., 467
Barrier creams, for contact dermatitis, *1984*: Oct., **619–629**
Basal cell carcinoma. See *Carcinoma, basal cell.*
Bay leaf, as cause of contact dermatitis, *1984*: Oct., 573
Beauty mark, relation to malignant melanoma, *1984*: April, 185–186
Behçet's syndrome, *1983*: Oct., 488, 607–610
therapeutic plasma exchange for, *1983*: Oct., 584
Benign nevi, excision of, *1984*: April, 195–196
Benoxaprofen, for acne, *1983*: July, 395
Bentonite method of measuring sebum, *1983*: July, 337–338
Benzathene, for syphilis, *1983*: Jan., 17
Benzoyl peroxide, for acne, *1983*: July, 400
Betamethasone dipropionate, for psoriasis, *1984*: July, 400, 407
Biliary cirrhosis, therapeutic plasma exchange for, *1983*: Oct., 577
Biliary disease, pruritus in, *1984*: Jan., 144
Biopsy, effect on primary melanomas, *1984*: April, 177–178
epidermal shave, to diagnose scabies, *1983*: Jan., 115
in cryosurgery, *1984*: April, 326
of nail area, *1984*: April, 273–275
of skin, to diagnose fungal infections, *1984*: Jan., 5
technique of, *1984*: April, **209–217**
Bites, insect, *1983*: April, 162, 168, 314
Black piedra, *1984*: Jan., 7, 48–49
Blastomycosis, ketoconazole for, *1984*: Jan., 123
Blistering diseases. See also specific diseases.
diagnosis of, *1983*: April, **159–170**
miscellaneous, *1983*: April, **309–323**
symposium on, *1983*: April, **157–323**
Blisters, caused by physical agents, *1983*: April, 314
corneal or subcorneal, *1983*: April, 309–314
intraepidermal, *1983*: April, 311–314
non-red papules, diagnosis of, *1983*: April, 163–165
nonumbilicated, diagnosis of, *1983*: April, 168–170
red papules, diagnosis of, *1983*: April, 159–162
subepidermal, *1983*: April, 314–320
umbilicated vesicles, diagnosis of, *1983*: April, 165–168
viral, *1983*: April, **281–307**
Blue nevus, relation to malignant melanoma, *1984*: April, 187
Bowel bypass/bowel-associated dermatosis–arthritis syndrome, *1983*: Oct., 610–611
Brazilian pemphigus, *1983*: April, 173
Breast, female, malignant melanoma of, *1984*: April, 202
Breslow's degrees of thickness, to classify malignant melanoma, *1984*: April, 194
Brunsting type childhood dermatomyositis, *1983*: Oct., 467
Bubo, caused by chancroid, *1983*: Jan., 75
caused by lymphogranuloma venereum, *1983*: Jan., 79–80

Bulla, hemorrhagic, of disseminated gonococcal infection, *1983*: Jan., 45
Bullous dermatosis of diabetes mellitus, *1983*: April, 317
Bullous dermatosis of hemodialysis, *1983*: April, 317
Bullous disorders, hereditary, *1983*: April, **263–280**
Bullous impetigo, *1983*: April, 169, 310
in staphylococcal scalded skin syndrome, *1983*: April, 236
Bullous pemphigoid, *1983*: April, 161, **205–216**; *1984*: Jan., 153
relation to chronic bullous disease of childhood, *1983*: April, 233
relation to herpes gestationis, *1983*: April, 201
role of complement in, *1983*: Oct., 531
therapeutic plasma exchange for, *1983*: Oct., 581
Burrow ink test, *1983*: Jan., 116

Calcinosis, caused by dermatomyositis, *1983*: Oct., 465
Calcium channel blockers, for Raynaud's syndrome, *1983*: Oct., 501
for scleroderma, *1983*: Oct., 512
Calymmatobacterium granulomatis, as cause of donovanosis, *1983*: Jan., 77–79
Campylobacter infections, in homosexuals, *1983*: Jan., 124–125
Cancer, caused by immunosuppressive drugs, *1983*: Oct., 601
in epidermolysis bullosa, *1983*: April, 275–276
in pemphigus, *1983*: April, 174
relation to dermatomyositis, *1983*: Oct., 466
skin, basal cell carcinoma. See *Carcinoma, basal cell.*
caused by PUVA, *1984*: July, 427
chemosurgery for, *1984*: April, **219–232**
electrodesiccation for, *1984*: April, 237–241
malignant melanoma. See *Melanoma, malignant.*
pruritus in, *1984*: Jan., 145–146
squamous cell carcinoma. See *Carcinoma, squamous cell.*
Candida albicans, *1983*: Jan., 44, 140, 141–144
characteristics of, *1984*: Jan., 19–20
Candidiasis, *1983*: Jan., **141–144**
balanitis, *1984*: Jan., 21
chronic, *1984*: Jan., 23–24, 26
congenital, *1984*: Jan., 22, 26
in children, *1984*: Jan., 62–64
disseminated, caused by immunosuppressive drugs, *1983*: Oct., 600
immunity in, *1984*: Jan., 74–76
in children, *1984*: Jan., 61–64
intertrigo, *1984*: Jan., 21
ketoconazole for, *1984*: Jan., 123
laboratory diagnosis of, *1984*: Jan., 103–104
mucosal and cutaneous, *1984*: Jan., **19–27**
in children, *1984*: Jan., 64
of nail, *1984*: Jan., 22, 25
oral, *1984*: Jan., 20, 25
role of complement in, *1983*: Oct., 530
systemic, *1984*: Jan., 24, 26
thrush, *1984*: Jan., 20, 25
vaginal, caused by treatment of acne, *1983*: July, 381–382, 389
vaginitis, *1984*: Jan., 21, 25
Carcinoma, basal cell and squamous cell, chemosurgery for, *1984*: April, **219–232**
cryosurgery for, *1984*: April, 325–330
electrosurgery for, *1984*: April, 237–241
in epidermolysis bullosa, *1983*: April, 275–276
Cardiovascular syphilis, *1983*: Jan., 29–32
Carrots, as cause of contact dermatitis, *1984*: Oct., 573
Casual level of sebum, *1983*: July, 336
Cautery, for condylomata acuminata, *1983*: Jan., 100
Cefotaxime, for gonorrhea, *1983*: Jan., 49
Cefoxitin, for gonorrhea, *1983*: Jan., 49
Celiac disease, role in chronic bullous disease of childhood, *1983*: April, 232
Central nervous system, syphilis in, *1983*: Jan., 32–36
Cephalosporins, for nongonococcal urethritis, *1983*: Jan., 60–62
Cerebrovascular syphilis, *1983*: Jan., 33
Chancre, syphilitic, *1983*: Jan., 7–11
Chancre mou, *1983*: Jan., 75–77
Chancroid, *1983*: Jan., **75–77**
Cheilitis, caused by etretinate for psoriasis, *1984*: July, 449
Chemical neutralizers, for contact dermatitis, *1984*: Oct., 621
Chemicals, sensitivity to, in atopic individuals, *1984*: Oct., 561
Chemosurgery, *1984*: April, 166, **219–232**
Chemotherapy, for psoriasis, *1984*: July, **431–438**
pediatric antifungal, **131–139**
Chickenpox, *1983*: April 167, 281–286
Chicory, as cause of contact dermatitis, *1984*: Oct., 573
Childhood chronic bullous disease, *1983*: April, **231–234**
Childhood dermatomyositis, *1983*: Oct., 467
Childhood keratinizing diseases and acne, retinoids for, *1983*: July, **433–443**
Childhood pemphigus, *1983*: April, 172
Children, antifungal chemotherapy in, *1984*: Jan., **131–139**
contact dermatitis in, *1984*: Oct., **579–584**
moles and melanomas in preadolescents, *1984*: April, 194–196
pustular psoriasis in, *1984*: July, 463
superficial fungal infections in, *1984*: Jan., **57–65**
Chives, as cause of contact dermatitis, *1984*: Oct., 571
Chlamydia trachomatis, role in lymphogranuloma venereum, *1983*: Jan., 80
role in nongonococcal urethritis, *1983*: Jan., 53, 54, 56, 59–60
role in pelvic inflammatory disease, *1983*: Jan., 66
Chlorambucil, cutaneous complications of, *1983*: Oct., 593
for scleroderma, *1983*: Oct., 509–512
Chloramphenicol, for donovanosis, *1983*: Jan., 79
Chloroquine, cutaneous complications of, *1983*: Oct., 597
for porphyria cutanea tarda, *1983*: April, 260–261
Cholesterol elevation of, caused by etretinate for psoriasis, *1984*: July, 449
Chondrodermatitis, cryosurgery for, *1984*: April, 322
Choriocarcinoma, relation to herpes gestationis, *1983*: April, 195
Chromates, as cause of contact dermatitis, *1984*: Oct., 609, 624
Chromomycosis, ketoconazole for, *1984*: Jan., 123
Chronic bullous disease of childhood, *1983*: April, 187, **231–234**
Chronic cutaneous lupus erythematosus, *1983*: Oct., 449–455
Churg–Strauss syndrome, *1983*: Oct., 485
Ciclopirox, for dermatophyte infections, *1984*: Jan., 111
Cigarette paper method of measuring sebum, *1983*: July, 336
Circinate pustular psoriasis, *1984*: July, 463
Cirrhosis, primary biliary, therapeutic plasma exchange for, *1983*: Oct., 577
13-cis-retinoic acid, *1983*: July, 339, **371–376**, 387
Citrus fruits, as cause of contact dermatitis, *1984*: Oct., 569–571

Clarks's levels of invasion, to classify malignant melanoma, *1984*: April, 193
Climate, influence on occupational dermatoses, *1984*: Oct., **553–559**
influence on psoriasis, *1984*: July, 364, 375
Clindamycin, for nongonococcal urethritis, *1983*: Jan., 60–62
for topical treatment of acne, *1983*: July, 401
Clobetasol propionate, for psoriasis, *1984*: July, 407
Clotrimazole, *1984*: Jan., 111
for tinea versicolor, *1984*: Jan., 39
Coal tar preparations, for psoriasis, *1984*: July, 393–395
of scalp, *1984*: July, 473
phototherapy and, *1984*: July, 394–395, 414–415
Cobalt, as cause of metal dermatitis, *1984*: Oct., 609
Coccidioidomycosis, ketoconazole for, *1984*: Jan., 123
Colchicine, for scleroderma, *1983*: Oct., 513
Cold panniculitis, *1983*: Oct., 548
Cold steel surgery, techniques, *1984*: April, **341–351**
Collagen injection, for cosmetic defects, *1984*: April, 167, **333–339**
Collagen reduction, for acne scarring, *1983*: July, 412
Collagen vascular disease. See also specific diseases.
symposium on, *1983*: Oct., **447–623**
Colchicine, for psoriasis, *1984*: July, 437
Columbian theory of origin of syphilis, *1983*: Jan., 3
Coma blister, *1983*: April, 169, 318
Commensalism, vs. pathogenicity in candidiasis, *1984*: Jan., 20
Complement system, *1983*: Oct., **525–535**
Condylomata acuminata, *1983*: Jan., **93–102**
Congenital bullous ichthyosiform erythroderma, retinoids for, *1983*: July, 434
Congenital candidiasis, *1984*: Jan., 22, 26
in children, *1984*: Jan., 62–64
Congenital epidermolysis bullosa, *1983*: April, **263–280**
Congenital nevus, *1984*: April, 194, 204
relation to malignant melanoma, *1984*: April, 187
Congenital syphilis, *1983*: Jan., 37–41
Conjunctivitis, adult gonococcal, *1983*: Jan., 47
in erythema multiforme major, *1983*: April, 220
Connective tissue panniculitis, *1983*: Oct., 546
Contact dermatitis, allergic, caused by topical steroids for psoriasis, *1984*: July, 406
in atopics, *1984*: Oct., 564
barrier creams for, *1984*: Oct., **619–629**
caused by paints and coatings, *1984*: Oct., **585–602**
caused by topical food exposure, *1984*: Oct., **567–578**
cross-sensitization, *1984*: Oct., **539–543**
diagnosis of, *1983*: April, 161
effect of systemic and implanted metals on metal dermatitis, *1984*: Oct., **603–612**
immunologic mechanisms of contact hypersensitivity, *1984*: Oct., 523–532
in athletes, *1984*: Oct., 659
in atopic individuals, *1984*: Oct., **561–566**
in children, *1984*: Oct., **579–584**
irritant, *1984*: Oct., **545–551**
of hands, *1984*: Oct., 563
low-humidity occupational dermatoses, *1984*: Oct., **553–559**
haptens, *1984*: Oct., 524, 525, 526
sensitizing potential of, *1984*: Oct., **533–538**
role of Langerhans' cells, *1984*: Oct., 528–530
poison ivy and oak, barrier creams for, *1984*: Oct., 625
cross-sensitization in, *1984*: Oct., 540
feasibility of hyposensitization, *1984*: Oct., **613–617**
in children, *1984*: Oct., 580
symposium on, *1984*: Oct., **521–641**
systemic, *1984*: Oct., 569
writing Worker's Compensation report letters, *1984*: Oct., **631–641**
Contraceptives, oral, for treatment of acne, *1983*: July, 379–383
interaction with tetracycline, *1983*: July, 390
role in herpes gestationis, *1983*: April, 196
Corticosteroids, cutaneous complications of, *1983*: Oct., 591–592
effect on psoriasis, *1984*: July, 365–380
for acne, intralesional, *1983*: July, 394, 402–403, 412
systemic, *1983*: July, 393–394
for bullous pemphigoid, *1983*: April, 209
for dermatomyositis, *1983*: Oct., 469
for herpes gestationis, *1983*: April, 198, 199
for herpes zoster, *1983*: April, 290
for hypersensitivity vasculitis, *1983*: Oct., 480
for pyoderma gangrenosum, *1983*: Oct., 621
for toxic epidermal necrolysis, *1983*: April, 242–243
with antifungal agents, for superficial fungal infections, *1984*: Jan., 112
Cortisol, decrease in plasma, caused by topical steroids for psoriasis, *1984*: July, 406–407
depression of, caused by ketoconazole, *1984*: Jan., 125
Cosmetic surgery for acne scarring, *1983*: July, **405–413**
Cosmopolitan species of dermatophytes, *1984*: Jan., 85–87
Counseling, of patient with psoriasis, *1984*: July, 357–361, 369, **507–515**
Cowpox, *1983*: April, 299, 300
Coxsackievirus, *1983*: April, 301
Cranial arteritis, *1983*: Oct., 487
Creams, barrier, for contact dermatitis, *1984*: Oct., **619–629**
in dermatologic therapy, *1984*: Oct., 648
CREST syndrome, in scleroderma, *1983*: Oct., 505
Crohn's disease, relation to pyoderma gangrenosum, *1983*: Oct., 618
Cross-sensitization, in allergic contact dermatitis, *1984*: Oct., **539–543**
Crotamiton cream, for scabies, *1983*: Jan., 117
Cryosurgery, *1984*: April, 167, **319–332**
Cryotherapy, for acne, *1983*: July, 403
for condylomata acuminata, *1983*: Jan., 100
for molluscum contagiosum, *1983*: Jan., 109
Cryptococcosis, cutaneous, caused by immunosuppressive drugs, *1983*: Oct., 601
Culture media, for dermatophytes, *1984*: Jan., 97–98
for fungal infections, *1984*: Jan., 5
for tinea versicolor, *1984*: Jan., 38
Cumulative irritancy, in contact dermatitis, *1984*: Oct., 548
Cushing's syndrome, caused by topical steroids for psoriasis, *1984*: July, 407
relation to tinea versicolor, *1984*: Jan., 33
Cutaneous lupus erythematosus, *1983*: Oct., 449–460
Cutaneous polyarteritis, *1983*: Oct., 484
Cyanoacrylate glue method of measuring levels of *P. acnes*, *1983*: July, 347
Cyclophosphamide, cutaneous complications of, *1983*: Oct., 592–593
for dermatomyositis, *1983*: Oct., 470
for scleroderma, *1983*: Oct., 509–512
Cyproterone acetate, for treatment of acne, *1983*: July, 383
Cytomegalovirus, role in Kaposi's sarcoma, *1983*: Jan., 132, 134
Cytophagic panniculitis, *1983*: Oct., 549
Cytotoxic drugs, cutaneous complications of, *1983*: Oct., 592–596

Darier's disease, retinoids for, *1983*: July, 437
Decubitus ulcers, *1984*: Jan., 153
Defense mechanisms, of host, in superficial fungal infections, *1984*: Jan., **67–79**
Dementia paralytica, *1983*: Jan., 35–36
Dental plates, as cause of metal dermatitis, *1984*: Oct., 606
Dermabrasion, *1983*: July, 405–411
  high-speed, *1984*: April, **285–291**
  history of, *1984*: April, 165–166
  with collagen injection, *1984*: April, 337
Dermatitis, contact. See *Contact dermatitis*.
  perioral, caused by topical steroids for psoriasis, *1984*: July, 402
Dermatitis herpetiformis, *1983*: April, 159–160, **187–194**
  relation to chronic bullous disease of childhood, *1983*: April, 233
  role of complement in, *1983*: Oct., 531
  therapeutic plasma exchange for, *1983*: Oct., 582
Dermatofibromas, cryosurgery for, *1984*: April, 322
Dermatomyositis, *1983*: Oct., **461–473**
  therapeutic plasma exchange for, *1983*: Oct., 470, 575–577
Dermatologic surgery, biopsy, effect on primary melanomas, *1984*: April, 177–178
    in cryosurgery, *1984*: April, 326
    of nail area, *1984*: April, 273–275
    technique of, *1984*: April, **209–217**
  chemosurgery, *1984*: April, 166, **219–232**
  cold steel, *1984*: April, **341–351**
  collagen injection, for cosmetic defects, *1984*: April, 167, **333–339**
  cryosurgery, *1984*: April, 167, **319–332**
  dermabrasion, high -speed, *1984*: April, **285–291**
    history of, *1984*: April, 165–166
    with collagen injection, *1984*: April, 337
  electrosurgery, *1984*: April, **233–244**
  fluorouracil, topical and intralesional use of, *1984*: April, **245–249**
  for malignant melanoma, *1984*: April, **171–183, 185–207**
  history of, *1984*: April, **165–169**
  laser, *1984*: April, 293–302
    in chemosurgery, *1984*: April, 231
  Mohs' fresh tissue surgery, *1984*: April, **219–232**
  of nail, *1984*: April, **271–284**
  punch hair transplantation, *1984*: April, **303–317**
  skin grafting, *1984*: April, **251–270**
  symposium on, *1984*: April, **165–351**
Dermatopathology, history of, *1984*: April, 167
Dermatophyte infection, *1983*: April, 162, 314
  immunity in, *1984*: Jan., 69–74
  ketoconazole for, *1984*: Jan., 124
Dermatophytes, geographic distribution, *1984*: Jan., **85–91**
  laboratory diagnosis of, *1984*: Jan., **93–98**
  bullous, of diabetes mellitus, *1983*: April, 317
    of hemodialysis, *1983*: April, 317
  pustular, *1983*: April, 310
  transient acantholytic, *1983*: April, 313
Dexamethasone, for acne, *1983*: July, 382
Detergents, sensitivity to, in atopic individuals, *1984*: Oct., 561
Diabetes mellitus, bullous dermatosis and, *1983*: April, 317
Diaper dermatitis, *1984*: Jan., 22, 25, 62; Oct., 582
Diazolidinyl urea, in patch tests for contact sensitivity, *1984*: Oct., 537
Diet, augmentation of, in epidermolysis bullosa, *1983*: April, 277
  gluten-free, for dermatitis herpetiformis, *1983*: April, 193
Diiodohydroxyquin, for amebiasis, *1983*: Jan., 126
Diloxanide furoate, for amebiasis, *1983*: Jan., 126
Discoid lupus erythematosus, *1983*: Oct., 449–454
Discoloration of skin, caused by drugs, *1983*: July, 427
Disseminated zoster, *1983*: April, 288
Distant dermatitis, influence on irritant testing, *1984*: Oct., 548
Dithranol, with etretinate, for psoriasis, *1984*: July, 447
DMSO, for scleroderma, *1983*: Oct., 513
Donovanosis, *1983*: Jan., **77–79**
Doxycycline, for acne, *1983*: July, 391
  for nongonococcal urethritis, *1983*: Jan., 60–62
  for pelvic inflammatory disease, *1983*: Jan., 72
D-penicillamine, as cause of pemphigus, *1983*: April, 174
  for scleroderma, *1983*: Oct., 507–509
Drug reactions, acne, *1983*: July, 421
  alopecia, *1983*: July, 421; Oct., 592
  ataxia, *1983*: July, 388
  blisters, *1983*: April, 318
  bullous, *1983*: April, 162, 319
  candidiasis, *1983*: July, 381–382, 389; Oct, 600
  causes of, *1983*: July, **417–431**
    immunosuppressive drugs, *1983*: Oct., **591–606**
    tetracycline, *1983*: July, 391
  eczema, *1983*: July, 422
  erythema multiforme, *1983*: April, 223–224
  erythema nodosum, *1983*: July, 423
  exanthem, *1983*: July, 423
  exfoliative dermatitis, *1983*: July, 424
  fixed drug eruptions, *1983*: July, 424
  fungal infections, superficial, *1983*: Oct., 600
  hemorrhagic infarcts, *1983*: July, 425
  hyperpigmentation, *1983*: Oct., 593
  hypertrichosis, *1983*: July, 425
  Kaposi's sarcoma, *1983*: Jan., 131–135; Oct., 602
  lichenoid, *1983*: July, 425
  lupus erythematosus, *1983*: July, 426
  pancreatitis, *1983*: July, 391
  pemphigus, *1983*: April, 174
  photosensitivity, *1983*: July, 426
  pigment changes, *1983*: July, 390, 427
  porphyria, *1983*: July, 427
  pruritus, *1984*: Jan., 147
  purpura, *1983*: July, 427
  teratogenesis, *1983*: July, 374–375, 391
  toxic epidermal necrolysis, *1983*: April, 241–242; July, 428
  tumors, *1983*: Oct., 601
  urticaria, *1983*: July, 428
  vasculitic, *1983*: July, 428
  vertigo, *1983*: July, 388
  viral infections, *1983*: Oct., 599
Drugs, psoriasis affected by, *1984*: July, 365, 380
Dubois' soft tissue resection, for pincer nail, *1984*: April, 281
Duhring's disease. See *Dermatitis herpetiformis*.
Dyes, cross-sensitization in, *1984*: Oct., 542
Dyshidrosis, *1983*: April, 168
Dyskeratosis follicularis, retinoids for, *1983*: July, 437
Dysphagia, caused by dermatomyositis, *1983*: Oct., 465
Dysproteinemias, *1983*: Oct., 481–482

Echovirus, *1983*: April, 301
Echovirus exanthems, *1983*: April, 302
Ectasias, electrosurgery for, *1984*: April, 243–244
Ecthyma contagiosum, *1983*: April, 167, 299, 300
Ectothrix, *1984*: Jan., 8

Eczema, caused by drugs, *1983*: July, 422
caused by low humidity, *1984*: Oct., 553
Eczema marginatum. See *Tinea cruris*.
Electrodesiccation, for acne scarring, *1983*: July, 412
Electrosurgery, *1984*: April, **233–244**
En coup de sabre scleroderma, *1983*: Oct., 505
Elderly, skin diseases in, *1984*: Jan., **152–158**
Emollients, for psoriasis, *1984*: July, 385–386
phototherapy and, *1984*: July, 415
Endive, as cause of contact dermatitis, *1984*: Oct., 573
Endothrix, *1984*: Jan., 8
Entamoeba histolytica infection, in homosexuals, Jan., *1983*: 125–126
Enteritis, relation to pyoderma gangrenosum, *1983*: Oct., 618
Environment, influence on occupational dermatoses, *1984*: Oct., **553–559**
influence on psoriasis, *1984*: July 364, 375
Epidemiology, of dermatophytes, *1984*: Jan., **85–91**
of psoriasis, *1984*: July, 363–364
Epidermolysin, role in staphylococcal scalded skin syndrome, *1983*: April, 237–239
Epidermolysis bullosa, hereditary, *1983*: April, 163, 169, **263–280**
Epidermolytic hyperkeratosis, *1983*: April, 311
retinoids for, *1983*: July, 434
Epidermolytic toxin, role in staphylococcal scalded skin syndrome, *1983*: April, 237–239
Epididymitis, as complication of nongonococcal urethritis, *1983*: Jan., 63
Epithelium, follicular, rupture of, role of *P. acnes* in, *1983*: July, 348
Erysipelas, diagnosis of, *1983*: April, 162
Erythema, psoriasis and, caused by anthralin, *1984*: July, 392
caused by PUVA, *1984*: July, 422
prevention of during phototherapy, *1984*: July, 416–418
Erythema elevatum diutinum, *1983*: Oct., 488
Erythema induratum, *1983*: Oct., 544
Erythema multiforme, *1983*: April, 160, **217–230**
caused by drugs, *1983*: July, 423
relation to toxic epidermal necrolysis, *1983*: April, 242
therapeutic plasma exchange for, *1983*: Oct., 582
Erythema nodosum, *1983*: Oct., 488, 537–539
caused by drugs, *1983*: July, 423
Erythema toxicum neonatorum, *1983*: April, 311
Erythrasma, *1984*: Oct., 656
Erythrodermic psoriasis, etretinate for, *1984*: July, 443
Erythromycin, for acne, *1983*: July, 385, 401
for Campylobacter infections, *1983*: Jan., 125
for nongonococcal urethritis, *1983*: Jan., 60–62
Erythrokeratoderma, symmetric progressive, retinoids for, *1983*: July, 435
Esophageal ulceration, caused by antibiotic therapy for acne, *1983*: July, 391
Estrogens, for acne, *1983*: July, 379–383
influence on rate of sebum secretion, *1983*: July, 339
Etretinate, for psoriasis, *1984*: July, **439–454**
of scalp, *1984*: July, 475
pustular, *1984*: July, 468
for psoriatic arthritis, *1984*: July, 487
Exanthem, caused by drugs, *1983*: July, 423
Excisional biopsy, *1984*: April, 214
Excited skin syndrome, *1984*: Oct., 548
Exfoliatin, role in staphylococcal scalded skin syndrome, *1983*: April, 237–239
Exfoliative dermatitis, caused by drugs, *1983*: July, 424
Eye, damage to, caused by PUVA for psoriasis, *1984*: July, 428
Eye and orbit, malignant melanoma of, *1984*: April, 202

Factitial panniculitis, *1983*: Oct., 549
Fatty acids, sebaceous, *1983*: July, 341–342
Favus, *1984*: Jan., 51
5-FC. See *Flucytosine*.
"Feedback theory" of sebum secretion, *1983*: July, 336
Fixed drug eruptions, *1983*: July, 424
Fixed tissue chemosurgery, *1984*: April, 223–225, 228–229
Flour, as cause of contact dermatitis, *1984*: Oct., 574
Flucytosine, for fungal infections in children, *1984*: Jan., 135–136
Fluorinated topical steroids, *1984*: Oct., 652
Fluorouracil, for condylomata acuminata, *1983*: Jan., 100
topical and intralesional use of, *1984*: April, **245–249**
Follicular epithelium, rupture of, role of *P. acnes* in, *1983*: July, 348
Follicular keratinization, abnormal, *1983*: July, 348, **353–359**
Follicular microflora in acne, *1983*: July, **345–351**
Folliculitis, gram-negative, caused by antibiotic therapy for acne, *1983*: July, 389
Folliculitis decalvans, *1984*: Oct., 655
Food, skin reactions to topical exposure to, *1984*: Oct., **567–578**
Foot and mouth disease, *1983*: April, 302
Fovo selvagem, *1983*: April, 173
Free fatty acids, role in inflammation, *1983*: July, 348, 361
Fresh tissue surgery, *1984*: April, **219–232**
Frontoparietal scleroderma, *1983*: Oct., 505
Fruits, citrus, as cause of contact dermatitis, *1984*: Oct., 569–571
FTA-ABS test, *1983*: Jan., 5, 10, 14, 16
FTA-ABS-IgM test, *1983*: Jan., 5
Full-thickness skin graft technique, *1984*: April, 256–263
Fungal infections, superficial, candidiasis, *1984*: Jan., **19–27**
caused by immunosuppressive drugs, *1983*: Oct., 600
clinical aspects of, *1984*: Jan., **3–18**
geographic distribution of dermatophytes, *1984*: Jan., **85–91**
griseofulvin for, *1984*: Jan., **115–120**
host defense mechanisms in, *1984*: Jan., **67–79**
immunity in, *1984*: Jan., **67–79**
in animals, *1984*: Jan., 15
in children, *1984*: Jan., **57–65**
ketoconazole for, *1984*: Jan., **121–128**
laboratory diagnosis of, *1984*: Jan., **93–108**
role of bacteria in tinea pedis, *1984*: Jan., **81–84**
symposium on, *1984*: Jan., **3–128**
tinea versicolor, *1984*: Jan., **29–43**
topical antifungal agents, *1984*: Jan., **109–113**
tropical, *1984*: Jan., **45–55**
Furunculosis, *1984*: Oct., 655

Gardnerella vaginalis, *1983*: Jan., 44, 144–148
Gardnerella vaginalis vaginitis, *1983*: Jan., **144–148**
Garlic, as cause of contact dermatitis, *1984*: Oct., 571
Gas gangrene, *1983*: April, 162
Gastrointestinal disease, in dermatitis herpetiformis, *1983*: April, 188
Gastrointestinal disease, in epidermolysis bullosa, *1983*: April, 272–274
Genetics of psoriasis, *1984*: July, 365–371, 374–375
Genital herpes, *1983*: April, 294–295, 296
Gentamicin, for donovanosis, *1983*: Jan., 79
Gentian violet, for candidiasis, *1983*: Jan., 143
Geriatric patients, skin diseases in, *1984*: Jan., **151–159**
Giant cell vasculitis, *1983*: Oct., 487–488
Giardia lamblia infection, in homosexuals, *1983*: Jan., 125–126

Giardiasis, in homosexuals, *1983*: Jan., 125–126
Gingivostomatitis, acute, *1983*: April, 292
Gland, sebaceous, structure and function of, *1983*: July, **331–333**, 335–336
Glaucoma, caused by topical steroids for psoriasis, *1984*: July, 406
Glucocorticoids, for acne, *1983*: July, 382
Gluten, role in dermatitis herpetiformis, *1983*: April, 187, 191, 193
Goeckerman therapy, for psoriasis, *1984*: July, 394, 411
Gold therapy, cutaneous complications of, *1983*: Oct., 596
for psoriatic arthritis, *1984*: July, 487
Gonococcal dermatosis–arthritis syndrome, *1983*: Jan., 45; Oct., 611–612
Gonorrhea, *1983*: Jan., **43–51**
adult conjunctivitis, *1983*: Jan., 47
anorectal, *1983*: Jan., 46
oropharyngeal, *1983*: Jan., 47
Gottron's papules, in dermatomyositis, *1983*: Oct., 463
Grafting, of skin, as office procedure, *1984*: April, **251–270**
Granuloma inguinale, *1983*: Jan., 77–79
Granuloma pyogenicum, cryosurgery for, *1984*: April, 323
Granuloma venereum, *1983*: Jan., 77–79
Granulomatous vasculitides, *1983*: Oct., 484–487
Griseofulvin, action and indications, *1984*: Jan., **115–120**
for tinea capitis, *1984*: Jan., 8
in children, *1984*: Jan., 59
Gumma, of late syphilis, *1983*: Jan., 25–29
Gynecomastia, caused by ketoconazole, *1984*: Jan., 125

Haemophilus ducreyi, as cause of chancroid, *1983*: Jan., 75
Hair transplantation, history of, *1984*: April, 167
punch method, *1984*: April, **303–317**
Hallopeau type pemphigus vegetans, *1983*: April, 172
Halo nevus, relation to malignant melanoma, *1984*: April, 187
Haloprogin, for dermatophyte infections and tinea versicolor, *1984*: Jan., 110
Hand, food dermatitis of, *1984*: Oct., 567
Hand eczema, in atopic individuals, *1984*: Oct., 563
Hand, foot, and mouth disease, *1983*: April, 169, 301
Hanson's disease, role of complement in, *1983*: Oct., 530
therapeutic plasma exchange for, *1983*: Oct., 584
Haptens, in contact dermatitis, *1984*: Oct., 524, 525, 526
sensitizing potential of, *1984*: Oct., **533–538**
Head, malignant melanoma on, *1984*: April, 201–202
Heliotrope rash, in dermatomyositis, *1983*: Oct., 463
Hematologic diseases, pruritus in, *1984*: Jan., 145
Hematoma, acute subungual, *1984*: April, 276
Heme synthesis, role in porphyria cutanea tarda, *1983*: April, 249–252
Hemodialysis, bullous dermatosis and, *1983*: April, 317
Hemolytic anemia, role of complement in, *1983*: Oct., 530
Hemorrhage, splinter, in nail, caused by psoriasis, *1984*: July, 499
Hemorrhagic infarcts , caused by drugs, *1983*: July, 425
Hendersonula toruloidea, *1984*: Jan., 53
Henoch-Schönlein purpura, *1983*: April, 161; Oct., 480
Hepatic reactions, to ketoconazole, *1984*: Jan., 125
Hepatitis, role of complement in, *1983*: Oct., 530
Hepatitis B, in homosexuals, *1983*: Jan., 126–129
Hepatotoxicity, chemotherapy for psoriasis and, *1984*: July, 433–435
etretinate for psoriasis and, *1984*: July, 450
Herpangina, *1983*: April, 301
Herpes genitalis, *1983*: Jan., **85–92**; April, 294–296
Herpes gestationis, *1983*: April, 162, **195–203**; Oct., 553–558
relation to bullous pemphigoid, *1983*: April, 201
role of complement in, *1983*: Oct., 531
therapeutic plasma exchange for, *1983*: Oct., 581
Herpes labialis, *1983*: April, 292–294
Herpes simplex, infections caused by, *1983*: April, 290–298; *1984*: Oct., 657
genital, *1983*: Jan., **85–92**; April, 294–296
lesions of, *1983*: April, 167
virus, *1983*: April, 291
role in nongonococcal urethritis, *1983*: Jan., 55–56
Herpesviruses, role in blistering diseases, *1983*: April, 281–298
Herpes whitlow, *1983*: April, 295
Herpes zoster, *1983*: April, 167, 286–290; *1984*: Jan., 152
disseminated, *1983*: April, 288
ophthalmic, *1983*: April, 288
Ramsay Hunt syndrome, *1983*: April, 288
sacral, *1983*: April, 288
"HG factor," in herpes gestationis, *1983*: April, 196–197
Hip prostheses, as cause of metal dermatitis, *1984*: Oct., 607–609
Hirsutism, caused by treatment of acne with estrogens, *1983*: July, 382
Histoplasmosis, ketoconazole for, *1984*: Jan., 123
HLA frequencies, in psoriasis, *1984*: July, 367–369, 375
in psoriatic arthritis, *1984*: July, 482
Homosexuals, sexually transmitted diseases in, *1983*: Jan., **123–129**
Hormones, role in acne, *1983*: July, 377
influence on rate of sebum secretion, *1983*: July, 339
Horny cell, *1983*: July, 355
Host defense mechanisms in superficial fungal infections, *1984*: Jan., **67–79**
Humidity, low, role in occupational dermatoses, *1984*: Oct., **553–559**
Humoral immunity, role in acne inflammation, *1983*: July, 349
Hutchinson's freckle, *1984*: April, 192
Hydatidiform mole, relation to herpes gestationis, *1983*: April, 195
Hydroa aestivale, *1983*: April, 317
Hydroa vacciniforme, *1983*: April, 318
Hydrocortisone, topical, *1984*: Oct., 651
Hydroxychloroquine, for dermatomyositis, *1983*: Oct., 469
for porphyria cutanea tarda, *1983*: April, 260–261
for psoriatic arthritis, *1984*: July, 487
Hydroxyurea, for psoriasis, *1984*: July, 436
PUVA and, *1984*: July, 426
Hyperglobulinemic purpura of Waldenström, *1983*: Oct., 482
Hyperkeratoses, subungual, caused by psoriasis, *1984*: July, 502
Hyperpigmentation, caused by cyclophosphamide, *1983*: Oct., 593
in porphyria cutanea tarda, *1983*: April, 254
Hypersensitivity vasculitis, *1983*: Oct., 478–483
Hypertension, benign intracranial, caused by antibiotic therapy for acne, *1983*: July, 389
Hypertrichosis, caused by drugs, *1983*: July, 425
in porphyria cutanea tarda, *1983*: April, 253
Hypervitaminosis A, caused by isotretinoin, *1983*: July, 373–375
Hypocomplementemic vasculitis, *1983*: Oct., 481

Ibuprofen, for acne, 1983: July, 395
ID_{50}, in patch testing, *1984*: Oct., 547
Idoxuridine, for herpes zoster, *1983*: April, 290
Imidazoles, *1984*: Jan., 111
for fungal infections in children, *1984*: Jan., 133–135

Imidazolidinyl urea, in patch tests for contact sensitivity, *1984*: Oct., 536
Immunity, in superficial fungal infections, *1984*: Jan., **67–79**
Immunodeficiency, caused by Kaposi's sarcoma, *1983*: Jan., 133–135
Immunofluorescence, of bullous pemphigoid, *1983*: April, 208, 212–213
of dermatitis herpetiformis, *1983*: April, 189
of erythema multiforme, *1983*: April, 225
Immunoglobulin, for herpes zoster, *1983*: April, 290
for varicella, *1983*: April, 285
Immunosuppressive drugs, cutaneous complications of, *1983*: Oct., **591–606**
for bullous pemphigoid, *1983*: April, 209
for dermatomyositis, *1983*: Oct., 469–470
for pyoderma gangrenosum, *1983*: Oct., 621
for scleroderma, *1983*: Oct., 509–512
Impetigo, *1984*: Oct., 654
bullous, *1983*: April, 169, 310
in staphylococcal scalded skin syndrome, *1983*: April, 236
Impetigo herpetiformis, *1983*: Oct., 558–560
Implants, metal, as cause of metal dermatitis, *1984*: Oct., 605–609
Incisional biopsy, *1984*: April, 214
Incontinentia pigmenti, *1983*: April, 164, 311
Industry, contact dermatitis in atopic individuals, *1984*: Oct., 563
low-humidity dermatoses in, *1984*: Oct., 555
Infection, psoriasis following, *1984*: July, 364, 378–379
superficial fungal. See *Fungal infections, superficial.*
Infertility, as complication of pelvic inflammatory disease, *1983*: Jan., 68–69
Inflammation, humoral, role in acne, *1983*: July, 349
Inflammatory acne, *1983*: July, **361–364**
Ingram regimen of anthralin for psoriasis, *1984*: July, 390
Ingrown toenails, surgery for, *1984*: April, 279–282
Inheritance of psoriasis, *1984*: July, 365–369
Inherited malignant melanoma, *1984*: April, 204
Insect bites, *1983*: April, 162, 314
Interferon, for herpes simplex, *1983*: April, 298
for herpes zoster, *1983*: April, 290
for varicella, *1983*: April, 285
Intertrigo, *1984*: Jan, 21
Intradermal nevus, relation to malignant melanoma, *1984*: April, 187
Iodides, for fungal infections in children, *1984*: Jan., 137
Ionic exchangers, for contact dermatitis, *1984*: Oct., 620
Irritant contact dermatitis, *1984*: Oct., **545–551**
of hands, *1984*: Oct., 563
Iron, role in porphyria cutanea tarda, *1983*: April, 255, 260
Isotretinoin, for acne, *1983*: July, **371–376**, 387
for psoriasis, *1984*: July, 447

Jock itch. See *Tinea cruris.*
Junction nevus, relation to malignant melanoma, *1984*: April, 173, 187
Juvenile melanoma, *1984*: April, 187, 195
Juvenile plantar dermatosis, *1984*: Oct., 582

Kaposi's sarcoma, *1983*: Jan., **131–135**; Oct., 602
Kaposi's varicelliform eruption, *1983*: April, 295
Keloids, cryosurgery for, *1984*: April, 323
Keratinization, abnormal follicular, *1983*: July, 348, **353–359**
Keratinizing diseases and acne in children, *1983*: July, **433–443**
Keratoacanthoma, intralesional fluorouracil for, *1984*: April, 247
Keratoderma, palmoplantar, *1983*: July, 437
Keratolytic gels, for tinea versicolor, *1984*: Jan., 39
Keratolytics, for psoriasis, *1984*: July, 386–388
Keratoses, electrosurgery for, *1984*: April, 241
Ketoconazole, *1984*: Jan., 111
action and indications, *1984*: Jan., **121–128**
for fungal infections in children, *1984*: Jan., 135
for scalp psoriasis, *1984*: July, 475
for tinea versicolor, *1984*: Jan., 39
Koebner response, *1984*: July, 364, 376–378

Lamellar ichthyosis, retinoids for, *1983*: July, 434
Langerhans' cell, role in contact hypersensitivity, *1984*: Oct., 528–530
Laser, use in chemosurgery, *1984*: April, 231
Laser surgery, *1984*: April, **293–302**
Lateral-longitudinal nail biopsy, *1984*: April, 274
Lathyrogens, for scleroderma, *1983*: Oct., 507–509
Laurel, as cause of contact dermatitis, *1984*: Oct., 573
Leek, as cause of contact dermatitis, *1984*: Oct., 571
Lentigo, cryosurgery for, *1984*: April, 324
Lentigo maligna melanoma, *1984*: April, 192
Leprosy, role of complement in, *1983*: Oct., 530
therapeutic plasma exchange for, *1983*: Oct., 584
Lettuce, as cause of contact dermatitis, *1984*: Oct., 573
Leukemia, myelogenous, relation to pyoderma gangrenosum, *1983*: Oct., 619
Leukocytes, polymorphonuclear, as indicators of nongonococcal urethritis, *1983*: Jan., 58–59
Leukocytoclastic vasculitis, *1983*: Oct., 478–483
Leukonychia mycotica, *1984*: Jan., 13–14
Leukoplakia, cryosurgery for, *1984*: April, 323
Lice, *1983*: Jan., 118–120; *1984*: Oct., 659
Lichen planus, *1983*: April, 162
bullous, *1983*: April, 315
Lichen sclerosus et atrophicus, *1983*: April, 165, 315
Lichenoid drug eruptions, *1983*: July, 425
Lindane, for pediculosis pubis, *1983*: Jan., 120
for scabies, *1983*: Jan., 117
Linear IgA dermatosis of childhood, *1983*: April, **231–234**
Lipids produced by sebaceous glands, *1983*: July, 340
Lipodystrophy, partial, role of complement in, *1983*: Oct., 532
Lipogranulomatosis subcutanea, *1983*: Oct., 542
Liquids, in dermatologic theapy, *1984*: Oct., 647
Lithium, effect on psoriasis, *1984*: July, 380
Liver, damage to, caused by chemotherapy for psoriasis, *1984*: July, 433–435
caused by etretinate for psoriasis, *1984*: July, 450
Longitudinal melanotic streak, biopsy for, *1984*: April, 274
Lues, congenital, *1983*: April, 162
Lupus erythematosus, antinuclear antibiodies in, *1983*: Oct., 519–522
bullous, *1983*: April, 315–316
caused by drugs, *1983*: July, 426
cutaneous subsets of, *1983*: Oct., **449–460**
systemic, with discoid skin lesions, *1983*: Oct., 454
role of complement in, *1983*: Oct., 531
Lupus erythematosus panniculitis, *1983*: Oct., 454–455, 545–546
Lupus profundus, *1983*: Oct., 454–455, 545–546
Lymphangioma circumscriptum, *1983*: April, 164
Lymph-node dissection, in malignant melanoma, *1984*: April, 198–201, 205–206
prophylactic, *1984*: April, 178

Lymphogranuloma venereum, *1983*: Jan., 79–82
Lymphoma, pruritus in, *1984*: Jan., 145
Lymphomatoid granulomatosis, *1983*: Oct., 486

Macular eruption of secondary syphilis, *1983*: Jan., 11–12
Maculopapules, of disseminated gonococcal infection, *1983*: Jan., 45
  of secondary syphilis, *1983*: Jan., 12
"Magic bullet," *1983*: Jan., 5
Malignant disease, relation to dermatomyositis, *1983*: Oct., 466
Mechanobullous disorders, hereditary, *1983*: April, **263–280**
Meclocycline, for topical treatment of acne, *1983*: July, 401
Medicolegal aspects of writing contact dermatitis Worker's Compensation reports, *1984*: Oct., **631–641**
Melanoma, juvenile, *1984*: April, 195
  malignant, acral lentigines, *1984*: April, 193
    amelanotic, *1984*: April, 206
    biopsy to diagnose, *1984*: April, 197
    controversies in, *1984*: April, **171–183**
    diagnosis and treatment of, *1984*: April, 175–180, **185–207**
    excision of, *1984*: April, 197–198
    inherited, *1984*: April, 204
    lentigo maligna melanoma, *1984*: April, 192
    lymph-node dissection in, *1984*: April, 178, 198–201, 205–206
    nodular, *1984*: April, 192
    radionuclide photoscanning to diagnose, *1984*: April, 197
    spontaneous regression of, *1984*: April, 205
    superficial spreading, *1984*: April, 191–192
    therapeutic plasma exchange for, *1983*: Oct., 584
Melanosis, pustular, *1983*: April, 309
Melasma, caused by treatment of acne with estrogens, *1983*: July, 381
Membrane-coating granules, role in desquamation, *1983*: July, 357
Metal dermatitis, effect of systemic and implanted metals on, *1984*: Oct., **603–612**
Methotrexate, cutaneous complications of, *1983*: Oct., 594–596
  for dermatomyositis, *1983*: Oct., 469–470
  for psoriasis, *1984*: July, 360, 431–438
    of nail, *1984*: July, 503
    phototherapy and, *1984*: July, 436
    pustular, *1984*: July, 467
    PUVA and, *1984*: July, 426
Methyl branching of sebaceous fatty acids, *1983*: July, 342
Metronidazole, for amebiasis, *1983*: Jan., 126
  for *Gardnerella vaginalis* vaginitis, *1983*: Jan., 147
  for nongonococcal urethritis, *1983*: Jan., 60–62
  for trichomoniasis, *1983*: Jan., 140–141
Miconazole, *1984*: Jan., 111
  for fungal infections in children, *1984*: Jan., 133–135
Microflora, follicular, *1983*: July, **345–351**
Miliaria, *1983*: April, 168, 309
Milker's nodule, *1983*: April, 167, 299, 300
Minocycline, for acne, *1983*: July, 391–393
  for nongonococcal urethritis, *1983*: Jan., 60–62
Mixed connective tissue disease, antinuclear antibodies in, *1983*: Oct., 523
Mixed cryoglobulinemia, *1983*: Oct., 481–482
Mohs' technique of chemosurgery, *1984*: April, **219–232**
Moles, relation to malignant melanoma, *1984*: April, 185–190
Molluscum contagiosum, *1983*: Jan., **103–110**; *1984*: Oct., 658
Monkeypox, *1983*: April, 299, 300
Morphea, *1983*: Oct., 505
Mucocele, cryosurgery for, *1984*: April, 324
Myasthenia gravis, with pemphigus and thymoma, *1983*: April, 173
Mycetomas, ketoconazole for, *1984*: Jan., 123
Mycolog, for candidiasis, *1984*: Jan., 112
Mycoplasma, role in erythema multiforme, *1983*: April, 224
Mycoses, superficial. See *Fungal infections, superficial.*
Myocarditis, syphilitic, *1983*: Jan., 30

Nails, candidiasis of, *1984*: Jan., 22, 25
  changes, in, caused by etretinate for psoriasis, *1984*: July, 449
    caused by psoriatic arthritis, *1984*: July, 479, 484
  fungal infections of, collection of laboratory samples, *1984*: Jan., 102
  psoriasis of, *1984*: July, **493–505**
  surgery of, *1984*: April, **271–284**
Nail bed biopsy, *1984*: April, 274
Naproxen, for acne, *1983*: July, 395
National Psoriasis Foundation, *1984*: July, 360
Neck, malignant melanoma on, *1984*: April, 201–202
Neisseria gonorrhoeae, nongonococcal urethritis and, *1983*: Jan., 53, 58, 59
  penicillinase-producing *Neisseria gonorrhoeae*, *1983*: Jan., 47–48, 49
  role in gonorrhea, *1983*: Jan., 43, 45
  role in pelvic inflammatory disease, *1983*: Jan., 65, 66, 68
Neonatal panniculitis, *1983*: Oct., 546–548
Neumann type pemphigus vegetans, *1983*: April, 172
Neurocutaneous melanosis, *1984*: April, 204
Neuropathic bulla, *1983*: April, 169
Neurosyphilis, *1983*: Jan., 32–36
  cerebrovascular, *1983*: Jan., 33
  general paresis, *1983*: Jan., 35–36
  tabes dorsalis, *1983*: Jan., 33–35
Nevus, balloon cell, *1984*: April, 187
  benign, excision of, *1984*: April, 195–196
  blue, *1984*: April, 187
  congenital, *1984*: April, 187, 194, 204
  congenital melanocytic, *1984*: April, 173
  halo, *1984*: April, 187
  intradermal, *1984*: April, 187
  junction, *1984*: April, 173, 187
  pigmented, electrosurgery for, *1984*: April, 236
Nickel dermatitis, *1984*: Oct., 603–604
  barrier creams for, *1984*: Oct., 627
  in children, *1984*: Oct., 581
Nifedipine, for Raynaud's syndrome, *1983*: Oct., 501
Nitrogen mustard, topical, for psoriasis, *1984*: July, 437
Nodular malignant melanoma, *1984*: April, 192
Nodular vasculitis, *1983*: Oct., 543–545
Nodulocystic acne, oral retinoid therapy for, *1983*: July, **371–376**, 387
Nongonococcal urethritis. See *Urethritis, nongonococcal.*
Nummular eczema, *1983*: April, 162
Nystatin, for candidiasis, *1983*: Jan., 143; *1984*: Jan., 110

Occlusive dressings, in dermatologic therapy, *1984*: Oct., 650
Occlusive vascular disease, relation to Raynaud's syndrome, *1983*: Oct., 498

Occupational acne venenata, *1983*: July, 369
Occupational cross-sensitization, *1984*: Oct., 541–542
Occupational dermatoses, caused by low humidity, *1984*: Oct., **553–559**
Oil-resistant creams, for contact dermatitis, *1984*: Oct., 620
Ointments, in dermatologic therapy, *1984*: Oct., 648
Onion, as cause of contact dermatitis, *1984*: Oct., 571
Onychogryphosis, surgery for, *1984*: April, 282
Onycholysis, caused by psoriasis, *1984*: July, 499
caused by psoriatic arthritis, *1984*: July, 479, 484
Onychomycosis, biopsy for, *1984*: April, 273
clinical aspects of, *1984*: Jan., 13–14
in children, *1984*: Jan., 60
ketoconazole for, *1984*: Jan., 125
Ophthalmic herpes, *1983*: April, 288
Optical whiteners, cross-sensitization in, *1984*: Oct., 542
Orf, *1983*: April, 167, 299, 300
Orofacial herpes, *1983*: April, 292–294
Oropharyngeal gonococcal infection, *1983*: Jan., 47

Pachyonychia, surgery for, *1984*: April, 282
Paints and coatings, as cause of contact dermatitis, *1984*: Oct., **585–602**
manufacture of, *1984*: Oct., 590–593
Palmoplantar pustulosis, *1984*: July, 455–457
Pancreatic panniculitis, *1983*: Oct., 548
Pancreatitis, caused by tetracycline, *1983*: July, 391
Panniculitis, *1983*: Oct., **537–551**
Papilloma, squamous, electrosurgery for, *1984*: April, 242
Papular dermatitis of pregnancy, *1983*: Oct., 562–565
Papules, non-red, diagnosis of, *1983*: April, 163–165
of secondary syphilis, *1983*: Jan., 12–14
red, diagnosis of, *1983*: April, 159–162
Parabens, in patch tests for contact sensitivity, *1984*: Oct., 536
Paracoccidioidomycosis, ketoconazole for, *1984*: Jan., 122
Paramomycin, for amebiasis, *1983*: Jan., 126
Paraphenylenediamines, cross-sensitization in, *1984*: Oct., 541
Paravaccinia, *1983*: April, 167, 299, 300
Paresis, general, *1983*: Jan., 35–36
Paronychia, acute, *1984*: April, 276
candidal, *1984*: Jan., 22, 25
chronic, *1984*: April, 277
in children, *1984*: Jan., 62
Pastes, in dermatologic therapy, *1984*: Oct., 649
Patch testing, with diazolidinyl urea, *1984*: Oct., 537
with paints and coatings, *1984*: Oct., 600
with quaternium, *1984*: Oct., 536
with sodium lauryl sulfate, *1984*: Oct., 547
with vegetables and fruits, *1984*: Oct., 568
Pathergy, in Behçet's syndrome, *1983*: Oct., 608
Pediatric. See *Children*.
Pediculosis pubis, *1983*: Jan., **118–120**; *1984*: Oct., 659
Pediculus humanus corporis, *1983*: Jan., 118
Pedigree analysis of psoriasis, *1984*: July, 365
Pelvic inflammatory disease, *1983*: Jan., 49, **65–74**
Pemphigus, benign familial chronic, *1983*: April, 312
caused by drugs, *1983*: April, 174
malignant disease and, *1983*: April, 174
pathophysiology of, *1983*: April, **179–186**
plasminogen activator in, *1983*: April, 180–185
role of antibody in, *1983*: April, 179
with thymoma and myasthenia gravis, *1983*: April, 173
Pemphigus erythematosus, *1983*: April, 172
Pemphigus foliaceus, *1983*: April, 172
Pemphigus vegetans, *1983*: April, 162, 172
Pemphigus vulgaris, *1983*: April, 170, **171–177**
role of complement in, *1983*: Oct., 531
therapeutic plasma exchange for, *1983*: Oct., 580
Penicillin, for gonorrhea, *1983*: Jan., 49
for pelvic inflammatory disease, *1983*: Jan., 72
for syphilis, *1983*: Jan., 17, 23, 40–41
Penicillinase-producing *Neisseria gonorrhoeae*, *1983*: Jan., 47–48
Perioral dermatitis, caused by topical steroids for psoriasis, *1984*: July, 402
Petechiae, focal, of disseminated gonococcal infection, *1983*: Jan., 45
Phenol and saline solution, for scalp psoriasis, *1984*: July, 473
Phenoxybenzamine, for Raynaud's syndrome, *1983*: Oct., 501
Phlebotomy, for porphyria cutanea tarda, *1983*: April, 259
Photosensitivity, caused by drugs, *1983*: July, 426
Phototherapy, for psoriasis, *1984*: July, **411–420**
coal tar preparations and, *1984*: July, 394–395
retinoids and, *1984*: July, 445–446
Phototoxic reactions, in contact dermatitis, *1984*: Oct., 574
Phototoxicity, caused by antibiotic therapy for acne, *1983*: July, 388
Phytophotodermatitis, in children, *1984*: Oct., 584
PID. See *Pelvic inflammatory disease*.
Piedra, clinical aspects of, *1984*: Jan., 7
laboratory diagnosis of, *1984*: Jan., 105
Piedraia hortai, *1984*: Jan., 7
Pigment, changes in, caused by antibotic therapy for acne, *1983*: July, 389
caused by drugs, *1983*: July, 427
caused by PUVA for psoriasis, *1984*: July, 428
Pigments, used in paints, *1984*: Oct., 585, 597
Pigmented nevus, electrosurgery for, *1984*: April, 236
Pilosebaceous follicle, morphology of, *1983*: July, 353–354
structure and function of, *1983*: July, **331–333**
Pincer nail, surgery for, *1984*: April, 280
Pinch graft technique, *1984*: April, 265–267
Pits, on nails, caused by psoriasis, *1984*: July, 493
caused by psoriatic arthritis, *1984*: July, 479
Pityriasis rubra pilaris, retinoids for, *1983*: July, 435
Pityriasis versicolor. See *tinea versicolor*.
Pityrosporum orbiculare, role in tinea versicolor, *1984*: Jan., 33–36
Plaque-type psoriasis, etretinate for, *1984*: July, 443–445
Plasma cortisol, decrease in, caused by topical steroids for psoriasis, *1984*: July, 406–407
Plasma exchange, therapeutic. See *Plasmapheresis*.
Plasmapheresis, *1983*: Oct., **571–589**
for dermatomyositis, *1983*: Oct., 470
for herpes gestationis, *1983*: April, 199
for scleroderma, *1983*: Oct., 509–512
Plasminogen activator, in pemphigus, *1983*: April, 180–185
Pneumocystis carinii, role in Kaposi's sarcoma, *1983*: Jan., 131, 133–134
Podophyllin, for condylomata acuminata, *1983*: Jan., 100
Poison ivy and oak, barrier creams for, *1984*: Oct., 625
cross-sensitization in, *1984*: Oct., 540
feasibility of hyposensitization, *1984*: Oct., **613–617**
in children, *1984*: Oct., 580
Polyarteritis nodosa, *1983*: Oct., 483
Polychondritis, therapeutic plasma exchange for, *1983*: Oct., 579
Polymorphic eruption of pregnancy, relation to herpes gestationis, *1983*: April, 200
Polymyositis, relation to dermatomyositis, *1983*: Oct., 461–473

Pomade acne, *1983*: July, 366
Pompholyx, *1983*: April, 168, 313
Porokeratosis plantaris discreta, cryosurgery for, *1984*: April, 324
Porphyria, caused by drugs, *1983*: July, 427
Porphyria cutanea tarda, *1983*: Aprl, 163–164, **249–262**
  therapeutic plasma exchange for, *1983*: Oct., 584
Porphyria turcica, *1983*: April, 252
Porphyrins, in prophyria cutanea tarda, *1983*: April, 256–258
Post-steroid panniculitis, *1983*: Oct., 548
Potassium hydroxide, to diagnose fungal infections, *1984*: Jan., 4
Potassium hydroxide preparation, to test for *Candida albicans*, *1983*: Jan., 142
Potatoes, as cause of contact dermatitis, *1984*: Oct., 574
Poxviruses, *1983*: April, 298–300
PPNG. See *Penicillinase-producing* Neisseria gonorrhoeae.
Prazosin, for Raynaud's syndrome, *1983*: Oct., 501
Prednisone. See also *Corticosteroids*.
  for acne, *1983*: July, 382
  for bullous pemphigoid, *1983*: April, 209
Pregnancy, ectopic, as complication of pelvic inflammatory disease, *1983*: Jan., 68–69
  pruritus in, *1984*: Jan., 144
  pruritic eruptions of, *1983*: Oct., **553–570**
    autoimmune progesterone dermatitis of pregnancy, *1983*: Oct., 566–568
    herpes gestationis, *1983*: April, 162, **195–203**; Oct, 553–558
    papular dermatitis of pregnancy, *1983*: Oct., 562–565
    pruritic and urticarial papules and plaques of pregnancy, *1983*: April, 200; Oct., 560–562
    pruritus gravidarum, *1983*: Oct., 565–566
Pre-psoriasis, *1984*: July, 373–374
Primary biliary cirrhosis, therapeutic plasma exchange for, *1983*: Oct., 577
Progesterone, role in herpes gestationis, *1983*: April, 196
Progesterone dermatitis of pregnancy, *1983*: Oct., 566–568
Propionibacterium acnes, *1983*: July, 345–350
  effect of antibiotic therapy on, *1983*: July, 386–387
  measurement of intrafollicular levels, *1983*: July, 347
  role in inflammation, *1983*: July, 361–362
Propylene glycol, for tinea versicolor, *1984*: Jan., 39
Prostheses, metal, as cause of metal dermatitis, *1984*: Oct., 605–609
Protein, as cause of contact dermatitis, *1984*: Oct., 575–576
Protothecosis, *1984*: Jan., 53–54
Prurigo of pregnancy, relation to herpes gestationis, *1983*: April, 200
Pruritic and urticarial papules and plaques of pregnancy, *1983*: Oct., 560–562
  relation to herpes gestationis, *1983*: April, 200
Pruritic eruptions of pregnancy, *1983*: Oct., **553–570**
  autoimmune progesterone dermatitis of pregnancy, *1983*: Oct., 566–568
  herpes gestationis, *1983*: April, 162, **195–203**; Oct., 553–558
  papular dermatitis of pregnancy, *1983*: Oct., 562–565
  pruritic and urticarial papules and plaques of pregnancy, *1983*: April, 200; Oct., 560–562
  pruritus gravidarum, *1983*: 565–566
Pruritus, accompanying psoriasis, treatment of, *1984*: July, 388
  caused by low humidity, *1984*: Oct., 553
  in elderly patient, *1984*: Jan., 154
  management of patient with, *1984*: Jan., **141–150**
  of the anus, *1984*: Jan., 141–142
  of the scalp, *1984*: Jan., 143
  of the vulva, *1984*: Jan., 142
Pruritus gravidarum, *1983*: Oct., 565–566
Pseudoallergic contact dermatitis in children, *1984*: Oct., 582
Pseudofolliculitis, *1984*: Oct., 654
Psoralen photochemotherapy (PUVA) for psoriasis, *1984*: July, **421–430**. See also under *PUVA*.
Psoriasis, alcohol and, *1984*: July, 379
  anthralin for, *1984*: July, 389–393
  arthritis and, *1984*: July, 375–376, **477–491**
    retinoids for, *1984*: July, 447–448
  chemotherapy for, *1984*: July, **431–438**
  climate and, *1984*: July, 364, 375
  coal tar preparations for, *1984*: July, 393–395
  diseases associated with, *1984*: July, 364
  environment and, *1984*: July, 364, 375
  epidemiology of, *1984*: July, 363–364
  erythrodermic, etretinate for, *1984*: July, 443
  genetics of, *1984*: July, 365–371, 374–375
  infection and, *1984*: July, 364, 378–379
  National Psoriasis Foundation, *1984*: July, 360
  of nail unit, *1984*: July, **493–505**
  of scalp, *1984*: July, **471–476**
  physician's approach to disease and patient, *1984*: July, **357–361**
  phototherapy for, *1984*: July, **411–420**
  plaque-type, etretinate for, *1984*: July, 443–445
  psychosocial perspectives, *1984*: July, **507–515**
  pustular, *1984*: July, **455–470**
    etretinate for, *1984*: July, 443
  PUVA for, *1984*: July, **421–430**
  remission of, *1984*: July, 364
  retinoids for, *1983*: July, 437; *1984*; July, 387, **439–454**
  steroids, topical, for, *1984*: July, **397–409**
  stress and, *1984*: July, 364, 379–380, 510
  symposium on, *1984*: July, **355–515**
  therapeutic plasma exchange for, *1983*: Oct., 582
  topical therapy for, *1984*: July, 359, **383–388**
  treatment objectives, *1984*: July, 358
  trauma in, *1984*: July, 364
  trigger factors, *1984*: July, **373–381**
Psoriatic arthritis, *1984*: July, 375–376, **477–491**
  retinoids for, *1984*: July, 447–448
Psychotherapy, for patients with psoriasis, *1984*: July, **507–515**
Punch biopsy, *1984*: April, 212
Punch elevation, *1983*: July, 411
Punch excision with graft replacement, *1983*: July, 411
Purpura, caused by drugs, *1983*: July, 427
  caused by topical steroids for psoriasis, *1984*: July, 402
Pustular dermatosis, subcorneal, *1983*: April, 310
Pustular flare, following topical steroids for psoriasis, *1984*: July, 400
Pustular lesions of secondary syphilis, *1983*: Jan., 14
Pustular melanosis, transient neonatal, *1983*: April, 309
Pustular psoriasis, *1984*: July, **455–470**
  etretinate for, *1984*: July, 443
  of nails, *1984*: July, 505
Pustular vasculitis, *1983*: Oct., **607–613**
PUVA, for psoriasis, *1984*: July, 360, 421–430
    anthralin and, *1984*: July, 391
    of scalp, *1984*: July, 475
    pustular, *1984*: July, 459, 468
    retinoids and, *1984*: July, 445–446
Pyoderma gangrenosum, *1983*: Oct., **615–623**
  therapeutic plasma exchange for, *1983*: Oct., 583
Pyogenic granulomas, electrosurgery for, *1984*: April, 244
Pyrethrins, for pediculosis pubis, *1983*: Jan., 120

Quaternium, in patch tests for contact sensitivity, *1984*: Oct., 536
Quinacrine, cutaneous complications of, *1983*: Oct., 597
Quinones, cross-sensitization in, *1984*: Oct., 541

Radiation, role in malignant melanoma, *1984*: Apr., 171–172
Ramsay Hunt syndrome, *1983*: Apr., 288
Raynaud's syndrome, *1983*: Oct., **493–504**
  relation to scleroderma, *1983*: Oct., 505, 513
Razone, for pustular psoriasis, *1984*: July, 467
Rebound phenomenon, following topical steroids for psoriasis, *1984*: July, 400
Reiter's syndrome, as complication of nongonococcal urethritis, *1983*: Jan., 63–64
Relapsing febrile nonsuppurative nodular panniculitis, *1983*: Oct., 540–543
Remission of psoriasis, *1984*: July, 364
  following phototherapy, *1984*: July, 415
Renal failure, pruritus in, *1984*: Jan., 145
Reserpine, for Raynaud's syndrome, *1983*: Oct., 500
Resins, used in paints, *1984*: Oct., 586–588, 598–599
Resorcinol, for acne, *1983*: July, 402
Retinoids, for acne, *1983*: July, **371–376**, 387, 399–400
    influence on rate of sebum secretion, *1983*: July, 339
  for keratinizing diseases and acne in children, *1983*: July, **433–443**
  for psoriasis, *1984*: July, 387, **439–454**
    anthralin and, *1984*: July, 392
    of scalp, *1984*: July, 475
    phototherapy and, *1984*: July, 445–446
    PUVA and, *1984*: July, 426, 445–446
    steroids and, *1984*: July, 446
  for tinea versicolor, *1984*: Jan., 39
  with collagen injection, *1984*: Apr., 336
Reverse Koebner response, *1984*: July, 377
Rheumatic vasculitis, *1983*: Oct., 483
Rheumatoid arthritis, role of complement in, *1983*: Oct., 530
Rhus dermatitis. See *Poison ivy and oak*.
Rickettsialpox, diagnosis of, *1983*: Apr., 162
Rifampin, for nongonococcal urethritis, *1983*: Jan., 60–62
Ringworm. See *Tinea capitis*.
Ritter's type staphylococcal scalded skin syndrome, *1983*: Apr., 236
RNA viruses, *1983*: Apr., 300–303
Rosacea, caused by topical steroids for psoriasis, *1984*: July, 403
Rosaramicin, for nongonococcal urethritis, *1983*: Jan., 60–62
Rothmann-Makai syndrome, *1983*: Oct., 542
RPR-CT test, *1983*: Jan., 10, 14, 16

Sacral zoster, *1983*: Apr., 288
Salicylic acid, for acne, *1983*: July, 402
  for psoriasis, *1984*: July, 386, 387
    of scalp, *1984*: July, 473
Scalp, infections of, techniques for collecting laboratory samples, *1984*: Jan., 100–102
  psoriasis of, *1984*: July, 384, **471–476**
    retinoids for, *1984*: July, 475
Salvarsan, *1983*: Jan., 5
Sarcoma, Kaposi's, *1983*: Jan., 13?–**135**; Oct., 602
Sarcoptes scabiei, *1983*: Jan., 111
Scabies, *1983*: Jan., **111–118**; Apr., 162; *1984*: Oct., 658
  in clean patients, *1983*: Jan., 112
  in infants and children, *1983*: Jan., 114
  nodular, *1983*: Jan., 113
  transmitted by animals, *1983*: Jan., 114
Scars, caused by acne, rehabilitation of, *1983*: July, **405–413**
  injection of collagen for, *1984*: Apr., 338
Scleroderma, *1983*: Oct., **505–515**
  antinuclear antibodies in, *1983*: Oct., 522–523
  bullous, *1983*: Apr., 320
  relation to Raynaud's syndrome, *1983*: Oct., 498
  therapeutic plasma exchange for, *1983*: Oct., 509–512, 577
Sclerema neonatorum, *1983*: Oct., 546–548
Sclerodermoid plaques, in porphyria cutanea tarda, *1983*: Apr., 254–255, 256
Sebaceous cells, turnover time, *1983*: July, 336
Sebaceous gland, structure and function of, *1983*: July, **331–333**, 335–336
Sebaceous hyperplasia, cryosurgery for, *1984*: Apr., 325
Seborrheic keratosis, crysosurgery for, *1984*: Apr., 324
Sebum, content and function, *1983*: July, 333, 335, 340–343
  secretion of, *1983*: July, **335–339**
    in atopic individuals, *1984*: Oct., 562
Selenium sulfide, for dermatophytoses, *1984*: Jan., 110
  for tinea capitis, *1984*: Jan., 59
  for tinea versicolor, *1984*: Jan., 6, 39
Seroepidemiologic analysis of psoriasis, *1984*: July, 366
Serum sickness, *1983*: Oct., 482
Sesquiterpene lactones, cross-sensitization in, *1984*: Oct., 541
Sexually transmitted disease. See also under specific diseases.
  in homosexuals, *1983*: Jan., **123–129**
  symposium on, *1983*: Jan., **3–151**
Shave biopsy, *1984*: Apr., 214
Shigella infections, in homosexuals, *1983*: Jan., 124–125
Shaw scalpel, in chemosurgery, *1984*: Apr., 231
Shingles, *1983*: Apr., 286–290
Shoe dermatitis in children, *1984*: Oct., 581
Siblings, psoriasis in, *1984*: July, 365, 366, 373
Silicone/collagen augmentation, for acne scarring, *1983*: July, 412
Sinuses, epithelialized, excision of, *1983*: July, 411–412
Skin cancer. See *Cancer, skin*, and specific types.
Skin grafting as office procedure, *1984*: Apr., **251–270**
Skin surgery. See *Dermatologic surgery*.
Smallpox, *1983*: Apr., 167, 283, 298
Soaps, sensitivity to, in atopic individuals, *1984*: Oct., 561
Sodium pyrithione, for dermatophytosis, *1984*: Jan., 111
Solvents, used in paints in coatings, *1984*: Oct., 586, 598
Spectinomycin, for gonorrhea, *1983*: Jan., 49
Spices, as cause of contact dermatitis, *1984*: Oct., 574
Spitz nevus. See *Juvenile melanoma*.
Splinter hemorrhages, in nail, caused by psoriasis, *1984*: July, 499
Split-nail deformity, post-traumatic, *1984*: Apr., 278
Split-thickness skin graft technique, *1984*: Apr., 263–265
Squamous cell carcinoma. See *Carcinoma, squamous cell*.
Squamous papilloma, electrosurgery for, *1984*: Apr., 242
Staphylococcal scalded skin syndrome, *1983*: Apr., **235–239**
Staphylococcus aureus, on skin of atopic individuals with dermatitis, *1984*: Oct., 562
Stasis dermatitis and ulcers, *1984*: Jan., 153
Steroids, for acne, *1983*: July, 368
  intralesional, for acne, *1983*: July, 394, 402–403, 421
  oral, for pustular psoriasis, *1984*: July, 468
  systemic, for acne, *1983*: July, 393–394
  topical, for psoriasis, *1984*: July, **397–409**
    etretinate and, *1984* July, 446
    of scalp, *1984*: July, 473
    pustular, *1984*: July, 458

Stevens–Johnson syndrome, *1983*: Apr., 219–220
Stigmas, of congenital syphilis, *1983*: Jan., 39–40
Stomatitis, caused by methotrexate, *1983*: Oct., 594
Streptomycin, for chancroid, *1983*: Jan., 77
Stress, psoriasis and, *1984*: July, 364, 379–380, 510
Striae, caused by topical steroids for psoriasis, *1984*: July, 401
Subacute cutaneous lupus erythematosus, *1983*: Oct., 455–458
Subacute nodular migratory panniculitis, *1983*: Oct., 539–540
Subcorneal pustular dermatosis, *1983*: Apr., 310
Subcutaneous fat necrosis, *1983*: Oct., 546–548
Subungual hematoma, acute, *1984*: Apr., 276
Subungual malignant melanoma, *1984*: Apr., 202
Sulfapyridine, for dermatitis herpetiformis, *1983*: Apr., 92
Sulfisoxazole, for lymphogranuloma venereum, *1983*: Jan., 82
Sulfonamides, for chancroid, *1983*: Jan., 76
  for chronic bullous disease of childhood, *1983*: Apr., 233
  for nongonococcal urethritis, *1983*: Jan., 60–62
Sulfone, for dermatitis herpetiformis, *1983*: Apr., 192
  for pustular psoriasis, *1984*: July, 468
Sulfur, for acne, *1983*: July, 402
  for scabies, *1983*: Jan., 117
  for tinea versicolor, *1984*: Jan., 39
Sun, role in malignant melanoma, *1984*: Apr., 172
Sunscreens, role in acne, *1983*: July, 367
Superficial spreading malignant melanoma, *1984*: Apr., 191–192
Surgery, cosmetic, for acne scarring, *1983*: July, **405–413**
  dermatologic. See *Dermatologic Surgery*.
Sweating, in atopic individuals, *1984*: Oct., 562
Sweet's-like histopathology, in Behçet's syndrome, *1983*: Oct., 609
  in bowel bypass syndrome, *1983*: Oct., 610
Sympathectomy, for Raynaud's syndrome, *1983*: Oct., 501
Syphilis, *1983*: Jan., **3–21, 23–42**
  annular, *1983*: Jan., 14
  cardiovascular, *1983*: Jan., 29–32
  cerebrovascular, *1983*: Jan., 33
  Columbian theory of origin, *1983*: Jan., 3
  congenital, *1983*: Jan., 37–41
  general paresis, *1983*: Jan., 35–36
  in central nervous system, *1983*: Jan., 32–36
  infectious, *1983*: Jan., **3–21**
  late and congenital, *1983*: Jan., **23–42**
  late benign, *1983*: Jan., 25–29
  latent, *1983*: Jan., 14–15
  primary, *1983*: Jan., 7–11
  secondary, *1983*: Jan., 11–14
  stages of, *1983*: Jan., 3
  tabes dorsalis, *1983*: Jan., 33–35
Systemic lupus erythematosus, relation to cutaneous lupus erythematosus, *1983*: Oct., 458
  relation to Raynaud's syndrome, *1983*: Oct., 498
  role of complement in, *1983*: Oct., 531
  therapeutic plasma exchange for, *1983*: Oct., 571–589
  with discoid skin lesions, *1983*: Oct., 454
Systemic treatment of psoriasis, *1984*: July, 359–360

Tabes dorsalis, *1983*: Jan., 33–35
Takayasu's disease, *1983*: Oct., 487
  relation to pyoderma gangrenosum, *1983*: Oct., 619
Tar preparations, for psoriasis, *1984*: July, 393–395
  of scalp, *1984*: July, 473
  phototherapy and, *1984*: July, 394–395, 414–415
Tattoos, removal by laser, *1984*: Apr., 300
Temporal arteritis, *1983*: Oct., 487
Teratogenesis, caused by isotretinoin, *1983*: July, 374–375
  caused by tetracycline, *1983*: July, 391
Tests, burrow ink, *1983*: Jan., 116
  FTA-ABS, *1983*: Jan., 5, 10, 14, 16
  FTA-ABS-IgM, *1983*: Jan., 5
  RPR-CT, *1983*: Jan., 10, 14, 16
  TPHA, *1983*: Jan., 5
  VDRL, *1983*: Jan., 5, 10, 14, 17
Tetracycline, for acne, *1983*: July, 385
    interaction with oral contraceptives, *1983*: July, 390
    role in pancreatitis, *1983*: July, 391
  for chancroid, *1983*: Jan., 76
  for gonorrhea, *1983*: Jan., 49
  for lymphogranuloma venereum, *1983*: Jan., 82
  for nongonococcal urethritis, *1983*: Jan., 60–62
Therapeutic plasma exchange. See *Plasmapheresis*.
Thymoma, with pemiphigus and myasthenia gravis, *1983*: Apr., 173
Thin split-thickness graft technique, *1984*: Apr., 265–267
Thrush, *1984*: Jan., 20
  in children, *1984*: Jan., 62
Tinea barbae, *1984*: Jan., 14
Tinea capitis, *1984*: Jan., 7–8; Oct., 655
  geographic distribution, *1984*: Jan., 87
  in children, *1984*: Jan., 57–59
Tinea circinata tropical. See *Tinea imbricata*.
Tinea corporis, *1984*: Jan., 8–9
  in children, *1984*: Jan., 59
Tinea cruris, *1984*: Jan., 13–14
  in children, *1984*: Jan., 60
Tinea facei, *1984*: Jan., 14
  in children, *1984*: Jan., 59
Tinea imbricata, *1984*: Jan., 14, 49–50
  geographic distribution, *1984*: Jan., 90
Tinea incognito, caused by topical steroids for psoriasis, *1984*: July, 403
Tinea manuum, *1984*: Jan., 12
Tinea nigra, *1984*: Jan., 6
  laboratory diagnosis of, *1984*: Jan., 105
Tinea nigra palmaris, *1984*: Jan., 45–47
Tinea nodosa, *1984*: Jan., 7
Tinea pedis, *1984*: Jan., 12–13
  geographic distribution, *1984*: Jan., 90
  in children, *1984*: Jan., 60
  role of bacteria in, *1984*: Jan., **81–84**
Tinea versicolor, *1984*: Jan., 5–6, **29–43**; Oct., 655
  immunity in, *1984*: Jan., 68
  in children, *1984*: Jan., 61
  laboratory diagnosis of, *1984*: Jan., 104
Tinea unguium, clinical aspects of, *1984*: Jan., 13–14
Tolazoline, for Raynaud's syndrome, *1983*: Oct., 501
Tomatoes, as cause of contact dermatitis, *1984*: Oct., 574
Topical chemotherapy, for psoriasis, *1984*: July, 437
Topical steroids for psoriasis, *1984*: July, **397–409**
  anthralin and, *1984*: July, 391
Topical therapy for psoriasis, *1984*: July, 359, **383–388**
Tokelau, *1984*: Jan., 14
Tolnaftate, for dermatophyte infections and tinea versicolor, *1984*: Jan., 39, 110
Topical antifungal agents, *1984*: Jan., **109–113**
Topical dermatologic therapy, *1984*: Oct., 645–652
Topical steroid therapy, principles of, *1984*: Oct., 651
Toxemic rash of pregnancy, relation to herpes gestationis, *1983*: Apr., 200
Toxic epidermal necrolysis, *1983*: Apr., 169, **235–248**; July, 428
  therapeutic plasma exchange for, *1983*: Oct., 582
Toxic erythema of pregnancy, relation to herpes gestationis, *1983*: Apr., 200
TPHA test, *1983*: Jan., 5

Trachoma inclusion conjunctivitis, role in lymphogranuloma venereum, *1983*: Jan., 80
Transient acantholytic dermatosis, *1983*: Apr., 313
Transient neonatal pustular melanosis, *1983*: Apr., 309
Transretinoic acid, *1983*: July, 399–400
Trauma, psoriasis following, *1984*: July, 364
Treponema pallidum, *1983*: Jan., 3, 5–6, 14, 23, 32, 35, 37
Tretinoin, for acne, *1983*: July, 399–400
Triamcinolone acetonide, for collagen reduction in acne scarring, *1983*: July, 412
Triazoles, *1984*: Jan., 111
TRIC, role in lymphogranuloma venereum, *1983*: Jan., 80
Trichiasis, cryosurgery for, *1984*: Apr., 325
Trichomonas vaginalis, *1983*: Jan., 138–141
  role in nongonococcal urethritis, *1983*: Jan., 55–56
Trichomoniasis, *1983*: Jan., **137–141**
Trichomycosis, *1984*: Jan., 7
Trichophyton rubrum infections, ketoconazole for, *1984*: Jan., 124
Trigger factors in psoriasis, *1984*: July, **373–381**
Triglycerides, sebaceous, *1983*: July, 340
Trimethoprim-sulfamethoxazole, for shigellosis, *1983*: Jan., 125
Trophoblastic tumors, relation to herpes gestationis, *1983*: Apr., 195
Tropical fungal infections, *1984*: Jan., **45–55**
Tumor antigens, role in erythema multiforme, *1983*: Apr., 224
Tumors, biopsy of, *1984*: Apr., 211, 212
  caused by immunosuppressive drugs, *1983*: Oct., 601
  of epidermal keratinocytes, *1984*: Jan., 155–158
  pruritus accompanying, *1984*: Jan., 146
Twins, psoriasis in, *1984*: July, 365, 373

Ulcerative colitis, relation to pyoderma gangrenosum, *1983*: Oct., 618
Ulcus molle, *1983*: Jan., 75–77
Ultraviolet light, role in acne, *1983*: July, 367
Ultraviolet radiation, role in contact hypersensitivity, *1984*: Oct., 529–530
Ultraviolet radiation therapy, for psoriasis, *1984*: July, **411–420**
Undecylenic acid, for superficial fungal infections, *1984*: Jan., 110
Ureaplasma urealyticum, role in nongonococcal urethritis, *1983*: Jan., 53, 55, 56, 59–60
Urethritis, nongonococcal, *1983*: Jan., **53–64**
Urticaria, caused by drugs, *1983*: July, 428
  caused by foods, *1984*: Oct., 569
  caused by low humidity, *1984*: Oct., 554
Urticaria pigmentosa, *1983*: Apr., 165, 318
Urticarial vasculitis, *1983*: Oct., 481

Vaccine, for varicella, *1983*: Apr., 285
Vaccinia, *1983*: Apr., 167, 299
Vaginitis, *1983*: Jan., **137–151**
  candidal, *1984*: Jan., 21, 25
Vanishing creams, for contact dermatitis, *1984*: Oct., 619
Varicella, *1983*: Apr., 167, 281–286
Varicella-zoster virus, *1983*: Apr., 282
Variegate porphyria, relation to porphyria cutanea tarda, *1983*: Apr., 258–259
Variola, *1983*: Apr., 167, 283, 298
Vasculitis, *1983*: Apr., 160–161; Oct., **475–491**
  leukocytoclastic, in Behçet's syndrome., *1983*: Oct., 609
    in gonococcal dermatosis–arthritis syndrome, *1983*: Oct., 612
  pustular, *1983*: Oct., **607–613**
  role of complement in, *1983*: Oct., 532
  therapeutic plasma exchange for, *1983*: Oct., 574–575
Vasoactive drugs, for scleroderma, *1983*: Oct., 512–513
VDRL test, *1983*: Jan., 5, 10, 14, 17
Verapamil, for Raynaud's syndrome, *1983*: Oct., 501
Vernix caseosa lipid, *1983*: July, 340, 341, 342
Verruca, *1984*: Oct., 657
  cryosurgery for, *1984*: Apr., 325
  electrosurgery for, *1984*: Apr., 233
Verruca vulgaris, of penis, *1983*: Jan., 96–97
Vertigo, caused by antibiotic therapy for acne, *1983*: July, 388
Vesicles, umbilicated, diagnosis of, *1983*: Apr., 165–168
Vesticular stomatitis, *1983*: Apr., 302
Vesiculopustules, of disseminated gonococcal infection, *1983*: Jan., 45
Vibration syndrome, *1983*: Oct., 498
Vidarabine. See under *Adenosine arabinoside*.
Vilanova's disease, *1983*: Oct., 539–540
Viral blisters, *1983*: Apr., **281–307**
Viral infections, caused by immunosuppressive drugs, *1983*: Oct., 599
  role in erythema multiforme, *1983*: Apr., 222–223
Virus, as cause of Kaposi's sarcoma, *1983*: Jan., 132
  as cause of genital warts, *1983*: Jan., 93–94
  as cause of molluscum contagiosum, *1983*: Jan., 103
Vitamin A acid, for acne, *1983*: July, 399–400
Vitiligo, therapeutic plasma exchange for, *1983*: Oct., 584
Vulvovaginitis, *1983*: Jan., 137–141

Warts, genital, *1983*: Jan., **93–102**
Water, transepidermal loss, of in atopic individuals, *1984*: Oct., 562
Water-resistant creams, for contact dermatitis, *1984*: Oct., 620
Weber–Christian disease, *1983*: Oct., 540–543
Wegener's granulomatosis, *1983*: Oct., 485–486
White piedra, *1984*: Jan., 7, 47–48
Whitlow, herpes, *1983*: Apr., 295
Wildfire, *1983*: Apr., 173
Wood's light, to diagnose fungal infections, *1984*: Jan., 4
Wool, sensitivity to, in atopic individuals, *1984*: Oct., 562
Worker's compensation reports, for patients with contact dermatitis, *1984*: Oct., **631–641**

Xerosis, in atopic individuals, *1984*: Oct., 562

Zadik's operation, for ingrown toenail, *1984*: Apr., 279
Zinc pyrithione shampoo, for tinea versicolor, *1984*: Jan., 39
Zyderm collagen, *1984*: Apr., 334–335